


The Prolink logo features the word "PROLINK" in a bold, white, sans-serif font. A white, curved line arches over the letters "O" and "L", and another white, curved line arches under the letters "I" and "N".

PROLINK

A close-up, angled photograph of a network switch or patch panel. The device is a light-colored metal rack-mountable unit. It features multiple rows of blue RJ45 ports and fiber optic ports. Several yellow fiber optic cables are plugged into the ports. A white label on the front of the unit reads "FIO 12 CUP". The lighting is dramatic, with a bright yellow light source creating a strong lens flare effect across the center of the image.

We provide our customers with exceptional PRODUCTS in accordance with the highest international standards and also provide SERVICES that meets our customers' needs or exceeds their expectations.

Powered by: The Prolink logo, consisting of the word "PROLINK" in a bold, white, sans-serif font, with a white, curved line arching over the "O" and "L", and another white, curved line arching under the "I" and "N".





Discerption

ProLink Coupler SC MM-DUPLEX OM4

Description




Prolink Couplers have been designed for installation into Prolink fiber patch panels and termination boxes. Provide a robust and easy way to terminate.

Features

-  Small Size, High Precision.
-  Zirconia ceramics ferrule.
-  Low insertion Loss.
-  High Return Loss



Applications

-  Telecom and Datacom Equipment.
-  LAN/WAN
-  Device Terminals

Speciation's

Connectors type	SC
Fiber Type	OM4 50/125
Coupler Color	Fuchsia
Insertion loss	0.1dB
Return loss	>20dB